


 **Plunger**


Plunger Conducta



DATA SHEET

Dimensional parameters

01 Conducta B: solid without ring



REFERENCE


TYPE	HOLDER	D	VAC	RING WIDTH	PLUNGER	RING	SPRING BUSH	HOLDER	PRESSURE RING
Conducta B	1.0	40		short	KBUF001004001251			TBUF001025100251	
Conducta B	1.0	45		short	KBUF001004501251			TBUF001025100251	
Conducta B	1.5	50		short	KBUF001505001251			TBUF001530100301	
Conducta B	1.5	55		short	KBUF001505501251			TBUF001530100301	
Conducta B	2.5	60		short	KBUF002506001251			TBUF002540120301	
Conducta B	2.5	70		short	KBUF002507001251			TBUF002540120301	
Conducta B	2.5	75		short	KBUF002507501251			TBUF002540120301	
Conducta B	3.0	70		short	KBUF003007001251			TBUF003045100301	
Conducta B	3.0	75		short	KBUF003007501251			TBUF003045100301	
Conducta B	3.0	80		short	KBUF003008001251			TBUF003045100301	
Conducta B	3.5	80		short	KBUF003508001251			TBUF003555140351	
Conducta B	3.5	85		short	KBUF003508501251			TBUF003555140351	
Conducta B	3.5	90		short	KBUF003509001251			TBUF003555140351	
Conducta B	3.5	95		short	KBUF003509501251			TBUF003555140351	
Conducta B	3.5	100		short	KBUF003510001251			TBUF003555140351	
Conducta B	4.0	90		short	KBUF004009001251			TBUF004064100421	
Conducta B	4.0	95		short	KBUF004009501251			TBUF004064100421	
Conducta B	4.0	100		short	KBUF004010001251			TBUF004064100421	
Conducta B	4.0	110		short	KBUF004011001251			TBUF004064100421	
Conducta B	4.0	115		short	KBUF004011501251			TBUF004064100421	
Conducta B	4.0	120		short	KBUF004012001251			TBUF004064100421	
Conducta B	4.5	110		short	KBUF004511001251			TBUF004580100601	
Conducta B	4.5	115		short	KBUF004511501251			TBUF004580100601	
Conducta B	4.5	120		short	KBUF004512001251			TBUF004580100601	
Conducta B	4.5	125		short	KBUF004512501251			TBUF004580100601	
Conducta B	4.5	130		short	KBUF004513001251			TBUF004580100601	
Conducta B	4.5	140		short	KBUF004514001251			TBUF004580100601	
Conducta B	5.0	130		short	KBUF005013001251			TBUF005090100601	
Conducta B	5.0	140		short	KBUF005014001251			TBUF005090100601	
Conducta B	5.0	150		short	KBUF005015001251			TBUF005090100601	
Conducta B	6.0	150		short	KBUF006015001251			TBUF060105110651	
Conducta B	6.0	160		short	KBUF006016001251			TBUF060105110651	
Conducta B	6.0	170		short	KBUF006017001251			TBUF060105110651	
Conducta B	7.0	160		short	KBUF007016001251			TBUF070120100651	
Conducta B	7.0	170		short	KBUF007017001251			TBUF070120100651	
Conducta B	7.0	180		short	KBUF007018001251			TBUF070120100651	
Conducta B	7.0	190		short	KBUF007019001251			TBUF070120100651	

DIMENSION

TYPE	PLUNGER L	PLUNGER T x a	PLUNGER M x B	PLUNGER Lt (Tube) -2mm	PLUNGER Qt (Tube)	RING	SPRING BUSH	HOLDER	SYSTEM LENGTH L2	SYSTEM LENGTH total
Conducta B	72.5			119	6	Ø40/32,5 x 14		Ø39 x 111	125.00	130
Conducta B	72.5			119	6	Ø40/32,5 x 14		Ø39 x 111	125.00	130
Conducta B	72.5			103	8	Ø50/41,5 x 16		Ø44 x 111	145.00	150
Conducta B	72.5			103	8	Ø50/41,5 x 16		Ø44 x 111	145.00	150
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213

Dimensional parameters

02 Conducta B-R: with ring



REFERENCE


TYPE	HOLDER	D	VAC	RING WIDTH	PLUNGER	RING	SPRING BUSH	HOLDER	PRESSURE RING
Conducta B-R	1.0	40		short	KBUR001004001251	RIUS00403701671		TBUF001025100251	
Conducta B-R	1.0	45		short	KBUR001004501251	RIUS00453701671		TBUF001025100251	
Conducta B-R	1.5	50		short	KBUR001505001251	RIUS00504201671		TBUF001530100301	
Conducta B-R	1.5	55		short	KBUR001505501251	RIUS00554201671		TBUF001530100301	
Conducta B-R	2.5	60		short	KBUR002506001251	RIUS00604501671		TBUF002540120301	
Conducta B-R	2.5	65		short	KBUR002506501251	RIUS00654501671		TBUF002540120301	
Conducta B-R	2.5	70		short	KBUR002507001251	RIUS00705001671		TBUF002540120301	
Conducta B-R	2.5	75		short	KBUR002507501251	RIUS00755501671		TBUF002540120301	
Conducta B-R	3.0	70		short	KBUR003007001251	RIUS00705001671		TBUF003045100301	
Conducta B-R	3.0	75		short	KBUR003007501251	RIUS00755501671		TBUF003045100301	
Conducta B-R	3.0	80		short	KBUR003008001251	RIUS00805501671		TBUF003045100301	
Conducta B-R	3.5	80		short	KBUR003508001251	RIUS00805501671		TBUF003555140351	
Conducta B-R	3.5	85		short	KBUR003508501251	RIUS00855501671		TBUF003555140351	
Conducta B-R	3.5	90		short	KBUR003509001251	RIUS00906501671		TBUF003555140351	
Conducta B-R	3.5	95		short	KBUR003509501251	RIUS00906501671		TBUF003555140351	
Conducta B-R	3.5	100		short	KBUR003510001251	RIUS01006501671		TBUF003555140351	
Conducta B-R	4.0	90		short	KBUR004009001251	RIUS00906501671		TBUF004064100421	
Conducta B-R	4.0	95		short	KBUR004009501251	RIUS00956501671		TBUF004064100421	
Conducta B-R	4.0	100		short	KBUR004010001251	RIUS01006501671		TBUF004064100421	
Conducta B-R	4.0	105		short	KBUR004010501251	RIUS01056501671		TBUF004064100421	
Conducta B-R	4.0	110		short	KBUR004011001251	RIUS01106501671		TBUF004064100421	
Conducta B-R	4.0	115		short	KBUR004011501251	RIUS01157001671		TBUF004064100421	
Conducta B-R	4.5	110		short	KBUR004511001251	RIUS01106501671		TBUF004580100601	
Conducta B-R	4.5	115		short	KBUR004511501251	RIUS01157001671		TBUF004580100601	
Conducta B-R	4.5	120		short	KBUR004512001251	RIUS01207501671		TBUF004580100601	
Conducta B-R	4.5	125		short	KBUR004512501251	RIUS01257501671		TBUF004580100601	
Conducta B-R	4.5	130		short	KBUR004513001251	RIUS01307501671		TBUF004580100601	
Conducta B-R	4.5	140		short	KBUR004514001251	RIUS01407501671		TBUF004580100601	
Conducta B-R	5.0	130		short	KBUR005013001251	RIUS01307501671		TBUF005090100601	
Conducta B-R	5.0	140		short	KBUR005014001251	RIUS01407501671		TBUF005090100601	
Conducta B-R	5.0	150		short	KBUR005015001251	RIUS01508501671		TBUF005090100601	
Conducta B-R	6.0	150		short	KBUR006015001251	RIUS01508501671		TBUF060105110651	
Conducta B-R	6.0	160		short	KBUR006016001251	RIUS01608501671		TBUF060105110651	
Conducta B-R	6.0	170		short	KBUR006017001251	RIUS01701001671		TBUF060105110651	
Conducta B-R	7.0	160		short	KBUR007016001251	RIUS01608501671		TBUF070120100651	
Conducta B-R	7.0	170		short	KBUR007017001251	RIUS01701001671		TBUF070120100651	

DIMENSION

TYPE	PLUNGER L	PLUNGER T x a	PLUNGER M x B	PLUNGER Lt (Tube) -2mm	PLUNGER Qt Tube)	RING	SPRING BUSH	HOLDER	SYSTEM LENGTH L2	SYSTEM LENGTH total
Conducta B-R	72.5			119	6	Ø40/32,5 x 14		Ø39 x 111	125.00	130
Conducta B-R	72.5			119	6	Ø45/37,5 x 14		Ø39 x 111	125.00	130
Conducta B-R	72.5			103	8	Ø50/41,5 x 16		Ø44 x 111	145.00	150
Conducta B-R	72.5			103	8	Ø55/46,5 x 16		Ø44 x 111	145.00	150
Conducta B-R	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B-R	73			110	10	Ø65/56 x 17		Ø49 x 118	152.00	157
Conducta B-R	73			110	10	Ø70/60 x 17		Ø49 x 118	152.00	157
Conducta B-R	73			110	10	Ø75/64 x 17,5		Ø49 x 118	152.00	157
Conducta B-R	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B-R	90			127	12	Ø75/64 x 17,5		Ø59 x 135	150.00	159
Conducta B-R	90			127	12	Ø80/69 x 17,5		Ø59 x 135	150.00	159
Conducta B-R	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B-R	90			127	12	Ø85/74 x 17,5		Ø69 x 135	150.00	158
Conducta B-R	90			127	12	Ø90/77 x 18,5		Ø69 x 135	150.00	158
Conducta B-R	90			127	12	Ø95/82 x 18,5		Ø69 x 135	150.00	158
Conducta B-R	90			127	12	Ø100/87 x 20		Ø69 x 135	150.00	158
Conducta B-R	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B-R	102			121	16	Ø95/82 x 18,5		Ø79 x 130	142.00	150
Conducta B-R	102			121	16	Ø100/87 x 20		Ø79 x 130	142.00	150
Conducta B-R	103			121	16	Ø105/92 x 20		Ø79 x 130	142.00	150
Conducta B-R	102			121	16	Ø110/97 x 20		Ø79 x 130	142.00	150
Conducta B-R	102			121	16	Ø115/101 x 22		Ø79 x 130	142.00	150
Conducta B-R	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø115/101 x 22		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø120/105 x 22		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø125/110 x 22		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø130/115 x 24		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø140/125 x 24		Ø98 x 180	191.00	200
Conducta B-R	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B-R	177			170	16	Ø140/125 x 24		Ø108 x 180	191.00	200
Conducta B-R	117			170	16	Ø150/133 x 26		Ø108 x 180	191.00	200
Conducta B-R	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B-R	134			163	18	Ø160/143 x 28		Ø125 x 173	187.00	200
Conducta B-R	134			163	18	Ø170/150 x 30		Ø125 x 173	187.00	200
Conducta B-R	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B-R	149.5			170	20	Ø170/150 x 30		Ø145 x 180	190.00	213

Dimensional parameters

02 Conducta B-R: with ring



REFERENCE

TYPE	HOLDER	D	VAC	RING WIDTH	PLUNGER	RING	SPRING BUSH	HOLDER	PRESSURE RING
Conducta B-R	7.0	180		short	KBUR007018001251	RIUS01801001671		TBUF070120100651	
Conducta B-R	7.0	190		short	KBUR007019001251	RIUS0190101671		TBUF070120100651	
Conducta B-R	8.0	200		short	KBUR008020001251	RIUS02001101671		TBUF080140100651	
Conducta B-R	9.0	210		short	KBUR009021001521	RIUS02101001671		TBUF090145100851	
Conducta B-R	9.0	220		short	KBUR009022001521	RIUS02201001671		TBUF090145100851	
Conducta B-R	10.0	230		short	KBUR010023001521	RIUS02301001671		TBUF100160101001	
Conducta B-R	10.0	240		short	KBUR010024001521	RIUS02401001671		TBUF100160101001	
Conducta B-R	11.0	250		short	KBUR011025001521	RIUS02501101671		TBUF110170101201	
Conducta B-R	11.0	260		short	KBUR011026001521	RIUS02601101671		TBUF110170101201	


Plunger CONDUCTA

DIMENSION

TYPE	PLUNGER L	PLUNGER T x a	PLUNGER M x B	PLUNGER Lt (Tube) -2mm	PLUNGER Qt Tube)	RING	SPRING BUSH	HOLDER	SYSTEM LENGTH L2	SYSTEM LENGTH total
Conducta B-R	149.5			170	20	Ø180/160 x 32		Ø145 x 180	190.00	213
Conducta B-R	149.5			170	20	Ø190/168 x 32		Ø145 x 180	190.00	213
Conducta B-R	149.5			170	20	Ø200/180 x 32		Ø145 x 180	190.00	213
Conducta B-R	149.5			245	25	Ø210/190 x 32		Ø185 x 262	272.00	295
Conducta B-R	149.5			245	25	Ø220/200 x		Ø185 x 262	272.00	295
Conducta B-R	149.5			245	25	Ø230/210 x 33		Ø200 x 260	272.00	295
Conducta B-R	149.5			245	25	Ø240/220 x 33		Ø200 x 260	272.00	295
Conducta B-R	149.5			265	30	Ø250/228 x 35		Ø220 x 284	296.00	319
Conducta B-R	149.5			265	30	Ø260/238 x 35		Ø220 x 284	296.00	319

Dimensional parameters

03 Conducta B-RS: with Ring and Spring Bush



REFERENCE

TYPE	HOLDER	D	VAC	RING WIDTH	PLUNGER	RING	SPRING BUSH	HOLDER	PRESSURE RING
Conducta B	1.0	40		short	KBUF001004001251			TBUF001025100251	
Conducta B	1.0	45		short	KBUF001004501251			TBUF001025100251	
Conducta B	1.5	50		short	KBUF001505001251			TBUF001530100301	
Conducta B	1.5	55		short	KBUF001505501251			TBUF001530100301	
Conducta B	2.5	60		short	KBUF002506001251			TBUF002540120301	
Conducta B	2.5	70		short	KBUF002507001251			TBUF002540120301	
Conducta B	2.5	75		short	KBUF002507501251			TBUF002540120301	
Conducta B	3.0	70		short	KBUF003007001251			TBUF003045100301	
Conducta B	3.0	75		short	KBUF003007501251			TBUF003045100301	
Conducta B	3.0	80		short	KBUF003008001251			TBUF003045100301	
Conducta B	3.5	80		short	KBUF003508001251			TBUF003555140351	
Conducta B	3.5	85		short	KBUF003508501251			TBUF003555140351	
Conducta B	3.5	90		short	KBUF003509001251			TBUF003555140351	
Conducta B	3.5	95		short	KBUF003509501251			TBUF003555140351	
Conducta B	3.5	100		short	KBUF003510001251			TBUF003555140351	
Conducta B	4.0	90		short	KBUF004009001251			TBUF004064100421	
Conducta B	4.0	95		short	KBUF004009501251			TBUF004064100421	
Conducta B	4.0	100		short	KBUF004010001251			TBUF004064100421	
Conducta B	4.0	110		short	KBUF004011001251			TBUF004064100421	
Conducta B	4.0	115		short	KBUF004011501251			TBUF004064100421	
Conducta B	4.0	120		short	KBUF004012001251			TBUF004064100421	
Conducta B	4.5	110		short	KBUF004511001251			TBUF004580100601	
Conducta B	4.5	115		short	KBUF004511501251			TBUF004580100601	
Conducta B	4.5	120		short	KBUF004512001251			TBUF004580100601	
Conducta B	4.5	125		short	KBUF004512501251			TBUF004580100601	
Conducta B	4.5	130		short	KBUF004513001251			TBUF004580100601	
Conducta B	4.5	140		short	KBUF004514001251			TBUF004580100601	
Conducta B	5.0	130		short	KBUF005013001251			TBUF005090100601	
Conducta B	5.0	140		short	KBUF005014001251			TBUF005090100601	
Conducta B	5.0	150		short	KBUF005015001251			TBUF005090100601	
Conducta B	6.0	150		short	KBUF006015001251			TBUF060105110651	
Conducta B	6.0	160		short	KBUF006016001251			TBUF060105110651	
Conducta B	6.0	170		short	KBUF006017001251			TBUF060105110651	
Conducta B	7.0	160		short	KBUF007016001251			TBUF070120100651	
Conducta B	7.0	170		short	KBUF007017001251			TBUF070120100651	
Conducta B	7.0	180		short	KBUF007018001251			TBUF070120100651	
Conducta B	7.0	190		short	KBUF007019001251			TBUF070120100651	

DIMENSION

TYPE	PLUNGER L	PLUNGER T x a	PLUNGER M x B	PLUNGER Lt (Tube) -2mm	PLUNGER Qt Tube)	RING	SPRING BUSH	HOLDER	SYSTEM LENGTH L2	SYSTEM LENGTH total
Conducta B	72.5			119	6	Ø40/32,5 x 14		Ø39 x 111	125.00	130
Conducta B	72.5			119	6	Ø40/32,5 x 14		Ø39 x 111	125.00	130
Conducta B	72.5			103	8	Ø50/41,5 x 16		Ø44 x 111	145.00	150
Conducta B	72.5			103	8	Ø50/41,5 x 16		Ø44 x 111	145.00	150
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	73			110	10	Ø60/51 x 17		Ø49 x 118	152.00	157
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø70/60 x 17		Ø59 x 135	150.00	159
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	90			127	12	Ø80/69 x 17,5		Ø69 x 135	150.00	158
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	102			121	16	Ø90/77 x 18,5		Ø79 x 130	142.00	150
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø110/97 x 20		Ø98 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	117			170	16	Ø130/115 x 24		Ø108 x 180	191.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	134			163	18	Ø150/133 x 26		Ø125 x 173	187.00	200
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213
Conducta B	149.5			170	20	Ø160/143 x 28		Ø145 x 180	190.00	213



HTS Technology Group

Litostrojska cesta 60, SI-1000 Ljubljana, Slovenia
Phone: +386 1 5000 114
E-mail: sales@htsgroup.com

HTS SALES AND TECHNICAL SUPPORT NETWORK

SLOVENIA

HTS IC d.o.o.
Litostrojska ulica 60
SI-1000 Ljubljana
Slovenia
Phone: +386 1 5 000 114
E-mail: sales@htsgroup.com

GERMANY

HTS MWT GmbH
Max-von-Eyth-Straße 7
DE-86899 Landsberg/Lech
Germany
Phone: +49 81 91 94 77 214
E-mail: office.mwt@htsgroup.com

AUSTRIA

HTS IC GmbH
Heinrich Bablik-Straße 17
AT-1100 Wien
Austria
Phone: +43 1 60030 2911
E-mail: office.austria@htsgroup.com

FRANCE

HTS Technology France
Lyon Plaza Part Dieu 93 rue de la Villette
FR-69003 Lyon
France
Phone: +33 787 15 83 74
E-mail: jonathan.labarre@htsgroup.com

CZECH REPUBLIC

HTS IC s.r.o.
Viktora Huga 377/4
CZ-15000 Praha 5
Czech republic
Phone: +420 720 532 147
E-mail: office.cz@hts-ic.com

SPAIN

ALROTEC TECHNOLOGY, SL
Pol. Ind. de Constantí. Avgda.
de Les Punes Nav 5
E-43120 Constantí
Spain
Phone: +34 977 525 561
E-mail: alrotec@alro-tec.com

ITALY

Sidertoce S.p.A.
Via XX Settembre, 198
28883 Gravellona Toce (VB)
Italy
Phone: +39 0323 865208
E-mail: info@sidertoce.com

USA

HTS International Corporation
123 Center Park Dr. Ste 233
Knoxville, 37922
USA
Phone: +1 865 410 8880
E-mail: info@htsintl.com